



Plug and Play Lighted Whip Harness

Part # 11-0816 Single light whip plug-n-play wiring harness kit 2 seater Part # 11-0817 Dual light whip plug-n-play wiring kit 2 seater Part # 11-0818 Single light whip plug-n-play wiring harness kit 4 seater Part # 11-0819 Dual light whip plug-n-play wiring kit 4 seater

Congratulations on your purchase of the DragonFire Plug-n-Play Lighted Whip Harness. When it comes to driving off road, having a way to alert others can help prevent accidents. This kit offers a convenient way to wire your whip. Be sure to check out the full line of DragonFire Accessories for your vehicle at your local authorized dealer or online at http://www.DragonFireRacing.com

Fits: Universal harness for all 2 and 4 seat UTV's.




- Read and understand these instructions before installing product
 Begularly inspect
- Regularly inspect
- · Do not use product if there are any signs of damage

Disclaimer


Off road activities can be hazardous and could lead to injury, dismemberment, paralysis and death. No warranty of representation is made as to the products ability to protect the user from any injury or death. The user assumes that risk. The acceptance and /or use of this merchandise purchased from DragonFire by the customer hereby shall release DragonFire from any and all liability pertaining to the use of such merchandise.

| | | Part & Hardware List | |
|------|-----|------------------------------|-----------|
| ITEM | QTY | Description | STEP USED |
| P1 | 1 | Wire Harness with Connectors | |
| P2 | 1 | Rocker Switch | |
| P3 | 1 | Fuse | |
| | | | |
| | | | |







- Step 1: Place vehicle on a flat and level surface. Place gear selector in "Park" and remove keys from the ignition.
- Step 2: Rocker switch is pre-wired (PZ) for your conveiance. (Figure A & B) For protection, the wire harness comes with a built in 30 amp fuse. (P3) (Figure C).




Step 3: Locate power source, connect Positive (red) and Negative (black) wires to the power bar (recommended) or the battery source (If connect to battery directly the rocker switch will stay on). Locate desired location for wire harness to whip, route the wire and zip tie in place to secure the whip connector to the desire location of the vehicle.











Single Whip Connector

Dual Whip Connector

Step 4: The Harness is made with a single (Figure E) or dual (figure F) water resistant connector. (Figure G) Shows the provided connected wired to the light whip quick release mount.

This completes installation. Time to ride and enjoy!



Supplied connector wired to whip light quick release.

For further assistance please contact us at <u>customerservice@dragonfireracing.com</u> or 1-800-708-9803.

