ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6

Telephone: (800) 924-6994

Urgence: 800-255-3924 (ChemTel)

Canadian Workplace Hazardous Materials Information System Material Safety Data Sheet

I. PRODUCT IDENTIFICATION

Product Name: HIGH STRENGTH THREADLOCKER RED 6ML

Item No: 27100 Product Type: Anaerobic

II. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | Weight% | LD50/oral/rat | LC50/inhalation/rat | ACGIH; TLV-TWA |
|--|---------|---------------|---------------------|----------------|
| POLYGLYCOL DIMETHACRYLATE 25852-47-5 | >60 | not available | not available | |
| POLYESTER RESIN MIXTURE - | 20-40 | not available | not available | |
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | <3 | 382 mg/kg | 200 ppm/4H | |

III. PHYSICAL DATA

Physical State/Appearance: Red liquid Sharp, irritating **Odour & Odour Threshold:** Specific Gravity: 1.05-1.15 **Evaporation Rate:** Not determined Not determined **Vapour Pressure:** Vapour Density: Heavier than air Not determined **Freezing Point:** Does not apply pH: Not determined **Octanol/Water Coefficient: Boiling Point:** >150°C/302°F

IV. FIRE AND EXPLOSIVE DATA

Recommended Extinguishing Media: Carbon dioxide, Dry chemical, Foam
Hazardous Combustion Products: Oxides of carbon, Irritating organic vapours
Sensitivity to Static Discharge: Sensitivity to static discharge is not expected.

Conditions of Flammability:

Flash Point/Range:

Autoignition Temperature:

Upper Explosive Limit:

Lower Explosive Limit:

Not determined

Not determined

Not determined

V. REACTIVITY DATA

Conditions Causing Chemical Instability: None

Materials to avoid: Strong oxidizers, free radical initiators, inert gases, Peroxides, Reducing

agents

Conditions of Reactivity: High temperatures.
Hazardous Decomposition Products: Carbon oxides

VI. HAZARDS IDENTIFICATION

Primary Routes of Exposure: Eye and skin contact, ingestion, inhalation Existing Conditions Aggravated by May aggravate preexisting dermatitis

Exposure:

Toxicity Information: (See Effects of Acute Exposure to Product)

VI. HAZARDS IDENTIFICATION

Effects of Acute Exposure: At elevated temperatures, may cause irritation of the eyes and respiratory tract. May cause eye and skin

irritation. May cause skin irritation in sensitive individuals. May cause pain, redness or swelling of the eyes

and excessive blinking and tear production.

Effects of Chronic Exposure: May cause an allergic skin reaction.

Irritancy of Product: Overexposure may cause eye and skin redness.

Sensitization to Product: (See Effects of Acute Exposure to Product)

Carcinogenicity: (See Effects of Acute Exposure to Product)
Reproductive Toxicity: (See Effects of Chronic Exposure to Product)
Teratogenicity: (See Effects of Chronic Exposure to Product)
Mutagenicity: (See Effects of Chronic Exposure to Product)
(See Effects of Chronic Exposure to Product)

Toxicologically Synergistic Products: None known

WHMIS Hazard Class: D2B TOXIC MATERIALS

VII. PREVENTATIVE MEASURES

Personal Protection

Eves: Safety glasses.

Skin: Neoprene or nitrile gloves recommended.

Ventilation:General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product.

Engineering Controls: In case of insufficient ventilation, wear an organic vapor respirator

Spill Procedures: Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

Protection of Man and Environment: Follow Canadian and local regulations for disposal.

Handling Procedures and Equipment: Store in a dry area below 35°C.

Special Handling Information: Avoid prolonged breathing of vapor. Keep away from eyes. Avoid prolonged contact with skin. Do not

smoke while using. Wash hands after use.

VIII. FIRST AID MEASURES

Ingestion: If swallowed, do not induce vomiting - seek medical advice. Never give anything by mouth to an

unconscious person.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. Obtain medical attention.

Skin Contact: Wash off with soap and water. If skin irritation persists, call a physician.

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical

attention.

IX. SHIPPING INFORMATION

Canadian Transportation of Dangerous Goods

Proper Shipping Name:
Hazard Class:
UN/ID No:
Not regulated
None
None

IATA (Air)

Proper Shipping Name: Not regulated Class or Division: None UN/ID Number: None

IMDG (Vessel)

Proper Shipping Name: Not regulated Hazard Class: None None

X. PREPARATION INFORMATION

Estimated HMIS Classification: HEALTH 2, FLAMMABILITY 1, PHYSICAL HAZARD 0 (HMIS is a registered trademark of the National Paint and Coatings Association)

Estimated NFPA Rating: HEALTH 2, FLAMMABILITY 1, REACTIVITY 0 (NFPA is a registered trademark of the National Fire Protection Association)

Prepared By: Denise Boyd, Manager-Environmental, Health & Safety

Revision Date: January 31, 2013

Company: ITW Permatex Canada. 35 Brownridge Rd. Unit 1, Halton Hills, ON L76 0C6

Revision Number: 5

Telephone No.: 1-800-924-6994