ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6

Telephone: (800) 924-6994

Urgence: 800-255-3924 (ChemTel)

Canadian Workplace Hazardous Materials Information System Material Safety Data Sheet

I. PRODUCT IDENTIFICATION

Product Name: PC RED HIGH STRENGTH THREADLOCKER GEL 10 GR

Item No: 27115 Product Type: Anaerobic

II. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight%	LD50/oral/rat	LC50/inhalation/rat	ACGIH; TLV-TWA
POLYGLYCOL DIMETHACRYLATE 25852-47-5	50-70	not available	not available	
POLYESTER RESIN MIXTURE	20-40	not available	not available	
TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE 67762-90-7	<10	>5,000 mg/kg	not available	10 mg/m ³
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	<3	382 mg/kg	200 ppm/4H	
PROPYLENE GLYCOL 57-55-6	<3	20 g/kg	not available	

III. PHYSICAL DATA

Physical State/Appearance: Red gel Mild odour **Odour & Odour Threshold:** 1.11-1.15 **Specific Gravity:** Not determined **Evaporation Rate:** Not determined Vapour Pressure: Heavier than air Vapour Density: Not determined **Freezing Point:** Does not apply pH: **Octanol/Water Coefficient:** Not determined >150°C/302°F **Boiling Point:**

IV. FIRE AND EXPLOSIVE DATA

Recommended Extinguishing Media: Carbon dioxide, Dry chemical, Foam

Hazardous Combustion Products: Oxides of carbon

Sensitivity to Static Discharge: Sensitivity to static discharge is not expected.

Conditions of Flammability:

Flash Point/Range:

Autoignition Temperature:

Upper Explosive Limit:

Lower Explosive Limit:

Not determined

Not determined

Not determined

V. REACTIVITY DATA

Conditions Causing Chemical Instability: Stable under normal conditions of use

Materials to avoid: Strong oxidizers, free radical initiators, inert gases

Conditions of Reactivity: High temperatures.

Hazardous Decomposition Products: Carbon oxides

VI. HAZARDS IDENTIFICATION

Primary Routes of Exposure: Eye and skin contact, ingestion, inhalation

Existing Conditions Aggravated by Allergy, eczema, skin conditions

Exposure:

VI. HAZARDS IDENTIFICATION

Toxicity Information: (See Effects of Acute Exposure to Product)

Effects of Acute Exposure: May cause eye and skin irritation. May cause allergic skin reactions and sensitization. Overexposure by

inhalation may cause nasal and respiratory irritation, central nervous system affects, dizziness,

drowsiness, weakness, fatique, nausea, headache and possible unconsciousness.

Effects of Chronic Exposure: May cause central nervous system effects. Note: This product does not contain microcrystalline silica. Irritancy of Product: May cause dermatitis on prolonged contact in sensitive individuals. Eyes: Exposure to liquid or vapor

way cause dermatitis on prolonged contact in sensitive individuals. Eyes: Exposure to liquid or vapor causes mild eye irritation. Symptoms may include burning, tearing, redness, stinging, blurred vision and

corneal injury.

Sensitization to Product:

Carcinogenicity:

Reproductive Toxicity:

Teratogenicity:

Mutagenicity:

(See Effects of Chronic Exposure to Product)

Toxicologically Synergistic Products: None known

WHMIS Hazard Class: D2B TOXIC MATERIALS

VII. PREVENTATIVE MEASURES

Personal Protection

Eyes: Safety glasses.

Skin: Neoprene or nitrile gloves recommended.

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to within their exposure

limits (or to the lowest feasible levels when limits have not been established) during the use of this product.

Engineering Controls: In case of insufficient ventilation, wear an organic vapor respirator

Spill Procedures: Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

Protection of Man and Environment: Follow Canadian and local regulations for disposal.

Handling Procedures and Equipment: Store in a dry area below 35°C.

Special Handling Information: Avoid prolonged breathing of vapor. Keep away from eyes. Avoid prolonged contact with skin. Do not

smoke while using. Wash hands after use.

VIII. FIRST AID MEASURES

Ingestion:

If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention.

Inhalation:

Move to fresh air in case of accidental inhalation of vapours. Obtain medical attention.

Skin Contact: Wash off with soap and water. If skin irritation persists, call a physician.

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical

attention if irritation persists.

IX. SHIPPING INFORMATION

Canadian Transportation of Dangerous Goods

Proper Shipping Name: Not regulated Hazard Class: None None None

IATA (Air)

Proper Shipping Name: Not regulated
Class or Division: None
UN/ID Number: None

IMDG (Vessel)

Proper Shipping Name: Not regulated None None None

X. PREPARATION INFORMATION

Estimated HMIS Classification: HEALTH 1, FLAMMABILITY 1, PHYSICAL HAZARD 0 (HMIS is a registered trademark of the National Paint and Coatings Association)

Estimated NFPA Rating: HEALTH 1, FLAMMABILITY 1, REACTIVITY 0 (NFPA is a registered trademark of the National Fire Protection Association)

Prepared By: Denise Boyd, Manager-Environmental, Health & Safety

Company: ITW Permatex Canada. 35 Brownridge Rd. Unit 1, Halton Hills, ON L76 0C6

Revision Date: May 29, 2013

Revision Number: 5

X. PREPARATION INFORMATION Telephone No.: 1-800-924-6994