Canadian Workplace Hazardous Materials Information System **Material Safety Data Sheet**

I. PRODUCT IDENTIFICATION

Product Name:	BEARING MOUNT FOR CLOSE FITS 50ML
Item No:	60950
Product Type:	Anaerobic

II. COMPOSITION/INFORMATION ON INGREDIENTS

Component:	Weight%	LD50/oral/rat	LC50/inhalation/rat	ACGIH; TLV-TWA
METHACRYLATE MONOMER 25852-47-5	55-75	not available	not available	
2-HYDROXYETHYL METHACRYLATE 868-77-9	15-35	5050 mg/kg	not available	
COUMARONE-INDENE RESIN (MIXTURE) *	<10	not available	not available	
POLY(ETHYL METHACRYLATE) 9003-42-3	<5	not available	not available	
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	<3	382 mg/kg	200 ppm/4H	

III. PHYSICAL DATA

Physical State/Appearance:	Green liquid
Odour & Odour Threshold:	Sharp, irritating
Specific Gravity:	1.1
Evaporation Rate:	Not determined
Vapour Pressure:	5 mmHg @ 25°C
Vapour Density:	Heavier than air
Freezing Point:	Not determined
pH:	Does not apply
Octanol/Water Coefficient:	Not determined
Boiling Point:	>150°C/302°F

IV. FIRE AND EXPLOSIVE DATA

Recommended Extinguishing Media: Water fog, carbon dioxide, foam, dry chemical. Hazardous Combustion Products: Oxides of carbon Sensitivity to static discharge is not expected. Sensitivity to Static Discharge: None anticipated. **Conditions of Flammability:** Flash Point/Range: >95°C PMCC Not determined Autoignition Temperature: Upper Explosive Limit: Not determined Lower Explosive Limit: Not determined

V. REACTIVITY DATA

Conditions Causing Chemical Instability: Materials to avoid: **Conditions of Reactivity:** Hazardous Decomposition Products:

VI. HAZARDS IDENTIFICATION

Primary Routes of Exposure: Existing Conditions Aggravated by May aggravate preexisting dermatitis Exposure:

Eye and skin contact, ingestion, inhalation

VI. HAZARDS IDENTIFICATION

Toxicity Information:	(See Effects of Acute Exposure to Product)
Effects of Acute Exposure:	May cause severe eye irritation and moderate skin irritation. Possible inhalation irritant. May be harmful if swallowed.
Effects of Chronic Exposure:	May cause an allergic skin reaction.
Irritancy of Product:	May cause dermatitis on prolonged contact in sensitive individuals.
Sensitization to Product:	(See Effects of Acute Exposure to Product)
Carcinogenicity:	(See Effects of Chronic Exposure to Product)
Reproductive Toxicity:	(See Effects of Chronic Exposure to Product)
Teratogenicity:	(See Effects of Chronic Exposure to Product)
Mutagenicity:	(See Effects of Chronic Exposure to Product)
Toxicologically Synergistic Pro	oducts: None known
WHMIS Hazard Class:	D2B TOXIC MATERIALS

VII. PREVENTATIVE MEASURES

Personal Protection	
Eyes:	Safety glasses.
Skin:	Neoprene or nitrile gloves recommended.
Ventilation:	Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
Engineering Controls:	n case of insufficient ventilation, wear an organic vapor respirator
Spill Procedures:	Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal
Protection of Man and Environment:	Follow Canadian and local regulations for disposal.
Handling Procedures and Equipment	: Store in a dry area below 35°C.
Special Handling Information:	Avoid prolonged breathing of vapor. Keep away from eyes. Avoid prolonged contact with skin. Do not smoke while using. Wash hands after use.

VIII. FIRST AID MEASURES

Ingestion:	If swallowed, do not induce vomiting - seek medical advice. Never give anything by mouth to an unconscious person.
Inhalation:	Move to fresh air in case of accidental inhalation of vapours. Obtain medical attention.
Skin Contact: Eve Contact:	Wash off with soap and water. If skin irritation persists, call a physician. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical
	attention if irritation persists.

IX. SHIPPING INFORMATION

Canadian Transportation of Dangerous Goods

Proper Shipping Name:	Not regulated
Hazard Class:	None
UN/ID No:	None
/	

IATA (Air)	
Proper Shipping Name:	Not regulated
Class or Division:	None
UN/ID Number:	None

IMDG (Vessel)

Proper Shipping Name:	Not regulated
Hazard Class:	None
UN Number:	None

X. PREPARATION INFORMATION

Estimated HMIS Classification: HEALTH 2, FLAMMABILILTY 1, PHYSICAL HAZARD 0 (HMIS is a registered trademark of the National Paint and Coatings Association)

Estimated NFPA Rating: HEALTH 2, FLAMMABILITY 1, REACTIVITY 0 (NFPA is a registered trademark of the National Fire Protection Association)

Prepared By: Denise Boyd, Manager-Environmental, Health & Safety

Company: ITW Permatex Canada. 35 Brownridge Rd. Unit 1, Halton Hills, ON L76 0C6

Revision Date: May 30, 2013

Telephone No.: 1-800-924-6994