L-Keys for Hexagon Socket Screws

EAN:

Part number:

Article number:













· Solution to the extraneous rust problem: fasten stainless screws with stainless tools

3950/9 Hex-Plus Multicolour Country of origin:

Size:

Weight:

number:

Customs tariff

· Hex-Plus allows socket head screws to live longer

4013288185211

05022669001

Stainless 1

- With Take it easy tool finder: colour coding by size
- Wear-resistant clip material for enhanced durability
- · Colour coded, easy-to-grip plastic sleeve, even at low temperatures

High quality L-key set out of stainless steel for hexagon socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. "Take it easy" Tool Finder: colour coding according to size. In an almost wear-free L-key clip fastener.

234x88x30 mm

651 g

82041100

CZ

L-Keys for Hexagon Socket Screws



Set contents:



3950 SPKL Multicolour 05022660001 1 x 1.5 x 90 mm 05022661001 1 x 2 x 101 mm 05022662001 1 x 2.5 x 112 mm 05022663001 1 x 3 x 123 mm 05022664001 1 x 4 x 137 mm 05022665001 1 x 5 x 154 mm 05022666001 1 x 6 x 172 mm 05022667001 1 x 8 x 195 mm 05022668001 1 x 10 x 224 mm

L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

## Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

L-Keys for Hexagon Socket Screws

## Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

L-keys with a thermoplastic sleeve



L-keys with a thermoplastic sleeve are manufactured out of easy-togrip, circular material. The sleeve ensures that work is safe and comfortable even at low temperatures. High corrosion protection features thanks to the special BlackLaser surface treatment. Colour coding and large stamp to enable the desired L-key to be easily located.

Secure hold and easy removal

## Take it easy tool finder system



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.



Take it easy tool finder system with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).