

817 R Bitholding screwdriver with Rapidaptor quick-release chuck, 1/4" x 133 mm

Bitholding Screwdrivers and Adaptors



EAN:	4013288103130	Size:	133x33x33 mm
Part number:	05051482001	Weight:	94 g
Article number:	817 R	Country of origin:	CZ
		Customs tariff number:	84661038

- Bit holder with Rapidaptor quick-release chuck for bits with 1/4" hexagon drive
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Hexagonal anti-roll feature against rolling away
- Rapidaptor technology for rapid change of the bits or blades
- Retractable bayonet blade

High quality bit holder. The telescopic bayonet blade, which can be lowered into the handle, together with the quick-release chuck allows fast manual work even in confined installation situations. The Rapidaptor quick-release chuck enables rapid bit change without needing any special tools. The strong permanent magnet holds the bits absolutely securely. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).



Web link

https://products.wera.de/en/kraftform_kompakt_bitholding_screwdrivers_and_adaptors_817_r.html

Wera - 817 R
05051482001 - 4013288103130

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de


Bitholding Screwdrivers and Adaptors

The telescopic blade I



When the unique telescopic blade is lowered into the handle, fast, easy screw-driving action is possible, even in the tightest spots!

The telescopic blade II




By pushing the clamping sleeve, the telescopic blade can be extended out of the handle and the compact tool becomes a full-sized screwdriver.

The telescopic blade III




If the clamping sleeve is pushed again the telescopic blade can be taken out of the handle, and be used as a machine bit adaptor.

Rapid-in and self-lock



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out




Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Chuck-all



The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Rapid-spin



The free-turning sleeve allows screw steadying at the start of the screwdriving process. This makes it easier to apply the tool to the screw and prevents slipping. It can also be used as a short extension for 1/4" applications e.g. in combination with the Wera Zyklus Ratchets.

Kraftform



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Web link

https://products.wera.de/en/kraftform_kompakt_bitholding_screwdrivers_and_adaptors_817_r.html

Wera - 817 R
05051482001 - 4013288103130

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

817 R Bitholding screwdriver with Rapidaptor quick-release chuck, 1/4" x 133 mm

Bitholding Screwdrivers and Adaptors



Further versions in this product family:



inch



mm

	inch	mm
05051482001	1/4"	133

Web link

https://products.wera.de/en/kraftform_kompakt_bitholding_screwdrivers_and_adaptors_817_r.html

Wera - 817 R

05051482001 - 4013288103130

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de